

# 2023 Bergara katalogen

Be gjerne om et godt tilbud på komplett rifle med kikkertsikte, montasjer, lyddemper, tofot, våpenfutteral, pussesett, ammunisjon og annet utstyr som hører med til jakten.


# https://www.Skyt.no

Kontakt TBT.no AS for bestilling og mer informasjon.

Mobil: 481 49 214

Kontaktskjema:


https://www.Skyt.no/kontakt/






2023 INTERNATIONAL PRODUCT LINEUP







With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Bergara is producing a full line of precision firearms engineered and built to showcase the performance capabilities of our world-class barrels.

Today, these individuals form the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real world experience and expertise to every Bergara firearm.


PREMIER SERIES	8
HMR Pro	12
Mountain 2.0	13
B-14 WILDERNESS SERIES	14
Wilderness Thumbhole Carbon	18
Wilderness Thumbhole	19
Wilderness HMR Carbon	20
Wilderness HMR	20
Wilderness Ridge Carbon	22
Wilderness Ridge	23
Wilderness Terrain	24
Wilderness Hunter	25
B-14 EXTREME SERIES	26
Extreme Hunter	30
Extreme Sporter	31
Extreme Hunter Urban	32
Extreme Sporter Western	33
B-14 <sup>2</sup> RIFLE	34
B-14 SERIES	40
HMR	44
Sporter	45
Timber	46
Hunter	47
BA13 SERIES	48
TD Black	52
TD Strata	54
TD Green	56
RIMFIRE SERIES	<i>57</i>
B-14R Trainer	62
BMR	64
SHOOTING BARRELED ACTION	66
ACCESSORIES	68
SPECIFICATIONS	69

# MADE IN OUR FACILITIES









## STEP 1 BARREL STRAIGHTENING

Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets our deviation standards.

#### STEP 2 DEEP HOLE DRILLING

The bar then moves on to a four spindle deep hole drilling machine where a perfect hole is drilled through the entire length of the bar.

## STEP 3 BARREL HONING

Three separate honing spindles utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish.

#### STEP 4 BUTTON RIFLING

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber. It's the same result that many gunsmiths accomplish by hand lapping.

## STEP 5 STRESS RELIEVING

A high temperature heating process realigns the steel molecules ensuring the barrel is free from any stress.

# PREMIER SERIES

BUILT BY HAND AND PAIRED WITH OUR WORLD-RENOWNED BARRELS, THE PREMIER SERIES PROVIDES NEAR CUSTOM PERFORMANCE AT PRICES THAT ARE AFFORDABLE TO SERIOUS SHOOTERS. ONLY THE BEST COMPONENTS AND FINEST CRAFTSMEN CAN BE USED TO CREATE A RIFLE LINE THIS RELIABLE AND ACCURATE.

#### FEATURES

#### **BERGARA PREMIER ACTION** • Premium stainless steel with Cerakote® finish • 2 locking lugs located on the front of the bolt head • Separate "floating" bolt head assures contact with lug abutments · Cone-shaped bolt nose assures smooth feeding Sliding plate extractor • All new models feature a dual ejector • 1-piece stainless steel bolt body with threaded-in bolt handle • 90° bolt throw angle • Bolt shroud is bayonet style allowing access to the firing pin assembly. Simply twist the bolt shroud and the entire firing assembly can be removed without **BERGARA BARREL** • Made from premium carbon fiber or stainless steel Carbon fiber or Cerakote<sup>®</sup> finish • Guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition TRIGGER • Externally adjustable TriggerTech® triggers and Frictionless Release Technology™ as standard equipment SAFETY MECHANISMS • The 2-position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position Non-rotating gas shield behind the bolt head protects the shooter from gas

and debris in the event of a case or primer rupture









# JOE EDLINGTON // MOUNTAIN 2.0

In New Zealand we have wilderness that is true to its name, it's wild, it's tough, and it's unforgiving on your physical wellbeing and the gear you decide to bring with you.

I spend over 6 months of the year hunting in the most wild and remote areas. I search for a wide variety of 'bucket list' game species that are high on the list for many hunters worldwide.

I bring my Bergara Mountain 2.0 on these expeditions. It's ultra-lightweight design and attention to detail for its build quality and components are what make this rifle 'my choice' for the big wilderness hunts I do.

Correct gear choice is paramount for these types of hunts. I have complete faith in the Mountain 2.0 performing for me when I need it most.









# HMR PRO // HUNTING & MATCH

WEIGHT

starting at 4.2 kg (9.3 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

410 stainless steel 51 cm (20") - 66 cm (26") barrel lengths

#### **FINISH**


Tactical Gray Cerakote®

#### STOCK

Bergara HMR molded with mini-chassis

#### MAGAZINE

AICS Style Detachable







.22-250 6 CREEDMOOR 6.5 CREEDMOOR 6.5 PRC .308 WIN .300 WIN MAG



## **MOUNTAIN 2.0**

WEIGHT

starting at 2.8 kg (6.2 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

410 stainless steel 56 cm (22") - 61 cm (24") barrel lengths

#### **FINISH**


Tactical Gray Cerakote®

#### STOCK

AG Composite 100% carbon fiber

#### MAGAZINE

Hinged Floor Plate





CALIBERS

6.5 PRC | .308 WIN | .270 WIN | .300 WIN MAG





THE B-14 WILDERNESS SERIES® EMBODY PURE PERFORMANCE. REAL-WORLD FEATURE SETS LIKE FLUTED BOLTS, SPECIALIZED COATINGS, AND STOCK OPTIONS THAT CAN WITHSTAND THE RUGGED AND UNFORGIVING WILDERNESS, WHILE BLENDING IN TO THOSE VERY SAME ELEMENTS. THIS SERIES IS FOR THE BACK COUNTRY, TO MATCH EVERY STRIDE YOU TAKE OFF THE BEATEN TRAIL.

#### FEATURES

#### BERGARA B-14 ACTION • Spring-loaded ejector

- Side-mounted bolt stop
- Fluted, 4140 CrMo steel, one piece bolt body
- 90° bolt throw angle
- Cone-shaped bolt nose ejector assures smooth feeding
- Sliding plate extractor
- · Hinged floor plate or detachable magazine
- Sniper Grey Cerakote®

#### **BERGARA BARREL**

- Made from 4140 CrMo steel
- Sniper Grey Cerakote<sup>®</sup>
- Sub MOA accuracy guarantee

#### TRIGGER

Adjustable Bergara Performance Trigger

**SAFETY MECHANISMS** • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.


#### STOCK

• Bergara's hand-painted camouflage













# SPOTLIGHT

#### BRIAN STEPHENS // WILDERNESS HMR CF

## TEXAS AUODAD

Just a few miles from the Mexico border I was introduced to a terrain so challenging, yet beautiful. I had not yet hunted Aoudad, and found myself walking for miles, climbing cliffs, slipping and falling at times trying to get to this shooter Aoudad we had seen.

Through this rugged environment I noticed just how tough this rifle is, along with how well it carried on my shoulder.

When we finally got to within 200 yards of this big ram, I squeezed the trigger. I knew that bullet was going to hit its target.



## THUMBHOLE CARBON

#### WEIGHT

starting at 3 kg (6 lbs)

#### **ACCURACY** sub-MOA

Guaranteed

#### BARREL

Carbon Barrel 51 cm (20") - 61 cm (24") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®

#### STOCK

Hand-painted Thumbhole Synthetic Stock with a rubberized grip

#### MAGAZINE

AICS Style Detachable







**CALIBERS** 

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG





## THUMBHOLE

#### WEIGHT

starting at 3.3 kg (7.2 lbs)

#### **ACCURACY** sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 51 cm (20") - 61 cm (24") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®

#### STOCK

Hand-painted Thumbhole Synthetic Stock with a rubberized grip

#### MAGAZINE

AICS Style Detachable





.243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .308 WIN | 7MM REM MAG | .300 WIN MAG



## HMR CARBON

#### WEIGHT

starting at 3.4 kg (7.5 lbs) **ACCURACY** sub-MOA

Guaranteed

#### BARREL

Carbon Barrel 51 cm (20") - 61 cm (24") barrel lengths

#### **FINISH**


Sniper Gray Cerakote®

#### STOCK

Bergara HMR molded with mini-chassis

#### MAGAZINE

AICS Style Detachable







# **HMR**

#### WEIGHT

starting at 4.3 kg (9.5 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 51 cm (20") - 66 cm (26") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®

#### STOCK

Bergara HMR molded with mini-chassis

#### MAGAZINE

AICS Style Detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG | .300 PRC



6.5 CREEDMOOR 6.5 PRC .308 WIN .300 WIN MAG

**CALIBERS** 

## RIDGE CARBON

#### WEIGHT

starting at 2.9 kg (6.5 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

Carbon Barrel 51 cm (20") - 61 cm (24") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®


#### STOCK

American style synthetic with SoftTouch finish

#### MAGAZINE

Hinged floor plate and detachable







# RIDGE

#### WEIGHT

starting at 3.3 Kg (7.4 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 51 cm (20") - 61 cm (24") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®

#### STOCK

American style synthetic with SoftTouch finish

#### MAGAZINE

Hinged floor plate and detachable





6.5 CREEDMOOR | 6.5 PRC | .308 WIN | 7MM REM MAG | .300 WIN MAG | .300 PRC



6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG

## **TERRAIN**

#### WEIGHT

starting at 4 kg (8.9 lbs)

#### **ACCURACY**

sub-MOA **Guaranteed** 

#### BARREL

4140 CrMo Steel 51 cm (20") - 66 cm (26") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®


#### STOCK

Bergara Terrain molded with mini chassis and SoftTouch finish

#### MAGAZINE

AICS style







6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG | .300 PRC



# **HUNTER**

#### **WEIGHT**

starting at 3.2 kg (7.2 lbs)

#### ACCURACY sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 56 cm (22") - 61 cm (24") barrel lengths

#### **FINISH**


Sniper Gray Cerakote®

#### STOCK

American style synthetic with SoftTouch finish

#### MAGAZINE


Hinged floor plate and detachable





6.5 CREEDMOOR .308 WIN 7MM REM MAG .300 WIN MAG









#### FEATURES

- BERGARA B-14 ACTION Spring-loaded ejector
  - Side-mounted bolt stop
  - One-piece body with two locking lugs
  - 90° bolt throw angle
  - Cone-shaped bolt nose ejector assures smooth feeding
  - Sliding plate extractor
  - Detachable magazine

#### BERGARA BARREL

- Made from 410 ISI stainless steel
- Graphite Black Cerakote® / Stainless Grey Cerakote® / Coyote Tan Cerakote®
- Sub MOA accuracy guarantee

#### TRIGGER

Adjustable Bergara Performance Trigger

**SAFETY MECHANISMS** • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.







# MARTIN BIE-ERICHSEN // EXTREME HUNTER NORWAY GOOSE

We arrived at the fields as the sun was rising and spotted the first geese of the day, grassing at the edge of a large field. My son knew the drill as he tagged along for this hunt.

We positioned ourselves under some pines. The goose is only 95 meters, a comfortable distance for such a small target. Especially when we are used to taking these shots at 180 meters or further. I rig my B14 Extreme up and warn my 2-year-old that a shot is coming. Everything felt right.

It might just be a goose, but the conversation with my son as we walked towards our kill, made it feel like we just shot the stag of our lifetime.









# **HUNTER**

## WEIGHT

starting at 2.9 kg (6.4 lbs)

## **ACCURACY**

sub-MOA Guaranteed

#### BARREL

410 stainless steel 46 cm (18") barrel

#### **FINISH**

Stainless Grey Cerakote®

#### STOCK

American style synthetic with SoftTouch finish

#### MAGAZINE

Detachable







6.5 CREEDMOOR .308 WIN





# **SPORTER**

#### WEIGHT

starting at 3.1 kg (6.8 lbs)

#### **ACCURACY** sub-MOA

Guaranteed

#### BARREL

410 stainless steel 46 cm (18") barrel

#### **FINISH**

Graphite Black Cerakote®

#### STOCK

Monte Carlo style synthetic with SoftTouch finish

#### MAGAZINE

Detachable





6.5 CREEDMOOR .308 WIN



## **HUNTER VIPER URBAN**

## WEIGHT

starting at 2.9 kg (6.4 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

410 stainless steel 46 cm (18") barrel

#### **FINISH**

Graphite Black Cerakote®

#### STOCK

American-style synthetic with SoftTouch finish

#### MAGAZINE

Detachable







6.5 CREEDMOOR .308 WIN



## SPORTER VIPER WESTERN

WEIGHT starting at

3.1 kg (6.8 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

410 stainless steel 46 cm (18") barrel

#### **FINISH**

Coyote Tan Cerakote®

#### STOCK

Montecarlo synthetic with SoftTouch finish

#### MAGAZINE

Detachable





**CALIBERS** 

6.5 CREEDMOOR .308 WIN

# B-14<sup>2</sup> RIFLE

THE NEW B-142 CONCEPT STANDS FOR ADDING A PROPRIETARY DEVELOPMENT OF A CARBON FIBER MONOCOQUE STOCK. CREATED 100% IN CARBON FIBER, THIS STOCK HAS AN INTERNAL STRUCTURE THAT PROVIDES GREATER RIGIDITY AND STRENGTH, MAKING IT NEARLY INDESTRUCTABLE.

FEATURING THIS NEW STOCK, OUR B-14 ACTION AND OUR WELL-KNOWN BARRELS, WE'VE BLENDED ALL THE ADVANTAGES OF THE B-14 MODEL SERIES CONVERGING INTO SOMETHING UNIQUE, WHICH WE HAVE CALLED B-14 SQUARED.

#### FEATURES

#### BERGARA B-14 ACTION • Spring-loaded ejector

- Side-mounted bolt stop
- Fluted, 4140 chromoly steel, one piece bolt body
- 90° bolt throw angle
- Cone-shaped bolt nose ejector assures smooth feeding
- Sliding plate extractor
- Hinged floor plate or detachable magazine
- Cerakoted® Sniper Grey

#### **BERGARA BARREL**

- Made from 4140 CrMo steel
- Sniper Grey Cerakote<sup>®</sup>
- Sub MOA accuracy guaranteed

#### TRIGGER

Adjustable Bergara Performance Trigger

**SAFETY MECHANISMS** • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

#### STOCK

• 100% Carbon Fiber Monocoque stock with carbon spine





# SPOTICHT

## PEDRO AMPUERO // CREST

## GREDOS, SPAIN IBEX

Some of us feel a huge attraction to traveling around the world and discovering new countries, new species, and new cultures. Spain is one of the most amazing destinations for hunting. The hunting tradition and passion of my home country is what brings hunters all around the world every year.

We have to go through a lot to get the opportunity we have been searching for, and after investing a lot of time and effort there is nothing worse than questioning your shot, or doubting if the rifle was able to handle all that beating.

I have always looked at my rifle as another piece of equipment, it can not fail. The rifle is there to help me, not to give me more problems than the ones I have. When you find out about the rifle manufacturing tradition of Spain, and the background building precise and reliable rifles of Bergara, that doubt goes away, and you trust it like it was your own rifle.













# **CREST**

WEIGHT

starting at 3.1 kg (6.8 lbs) **ACCURACY** sub-MOA

Guaranteed

#### BARREL

4140 CrMo Steel 51 cm (20") - 61 cm (24") barrel lengths

#### FINISH

Sniper Gray Cerakote®

#### STOCK


100% Carbon Fiber Monocoque stock with Carbon Spine

#### MAGAZINE

AICS Style Detachable













THE B-14 SERIES RIFLES ARE BUILT AT OUR STATE-OF-THE-ART FACILITY IN SPAIN. THANKS TO OUR HIGHLY EFFICIENT MANUFACTURING TECHNIQUES WE CAN BRING A LINE OF EXTREMELY ACCURATE AND RELIABLE RIFLES TO SERIOUS SHOOTERS AT EXTREMELY AFFORDABLE PRICES. VALUE PACKED, AND TOUGH ENOUGH TO WEAR THE BERGARA NAME.

#### FEATURES

- BERGARA B-14 ACTION Spring-loaded ejector
  - Side-mounted bolt stop
  - One-piece body with two locking lugs
  - 90° bolt throw angle
  - Cone-shaped bolt nose ejector assures smooth feeding
  - Sliding plate extractor
  - Hinged floor plate or detachable magazine

#### **BERGARA BARREL**

- Made from 4140 CrMo steel
- Graphite Black Cerakote<sup>®</sup>
- Sub MOA accuracy guarantee

#### TRIGGER

Bergara Performance Trigger

**SAFETY MECHANISMS** • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.



# SPOTIIGHT

## NICK TREHEARNE // B-14 HMR

#### ALBERTA COYOTE

When winter hits in Canada, it's time to help the deer out and we switch to predator control. The harsh winter climates are hard enough on the deer as it is. This is a task that we don't take lightly and that's why we rely on the Bergara B–14 in a 22–250. It was –20 to –30°C during the day and when the dogs came into the call, we didn't want to mess up an opportunity. It was hard enough on us being out there as it is. That's why we trust Bergara – any dog that came into the call didn't have a chance.











# HMR // HUNTING & MATCH RIFLE

#### WEIGHT

starting at 4.3 kg (9.7 lbs)

#### **ACCURACY**

sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 61 cm (24") - 66 cm (26") barrel lengths

#### **FINISH**

Graphite Black Cerakote®

#### STOCK

Bergara HMR molded with mini-chassis

#### MAGAZINE

AICS Style Detachable







**CALIBERS** 

.22-250



## **SPORTER**

#### WEIGHT

3.3 kg (7.3 lbs)

#### **ACCURACY** sub-MOA

Guaranteed

#### BARREL

4140 CrMo Steel 56 cm (22") - 61 cm (24") barrel lengths

#### **FINISH**


Graphite Black Cerakote®

#### STOCK

Monte Carlo style synthetic with SoftTouch finish

#### MAGAZINE

Hinged floor plate and detachable





.243 WIN | 6.5 CREEDMOOR | .308 WIN | 6.5X55 SE | .270 WIN | .30-06 SPRG | 7MM REM MAG | .300 WIN MAG | .338 WIN MAG



# **TIMBER**

WEIGHT

3.4 kg (7.5 lbs)

**ACCURACY** sub-MOA Guaranteed

BARREL

4140 CrMo Steel 56 cm (22") - 61 cm (24") barrel lengths

**FINISH** 

Graphite Black Cerakote®

STOCK

Monte Carlo style walnut

MAGAZINE

.243 WIN

6.5 CREEDMOOR

Hinged floor plate and detachable

# **HUNTER**

WEIGHT

starting at 3.1 kg (7.1 lbs)

BARREL

4140 CrMo Steel 56 cm (22") - 61 cm (24") barrel lengths

**ACCURACY** 

sub-MOA

Guaranteed

FINISH

Graphite Black Cerakote®

STOCK

American style synthetic with SoftTouch finish

MAGAZINE

Hinged floor plate and detachable





.300 WIN MAG .375 H&H

6.5X55 SE .270 WIN .30-06 SPRG 7MM REM MAG

**CALIBERS** 

.308 WIN



.243 WIN | 6.5 CREEDMOOR | .308 WIN | .270 WIN | .30-06 SPRG | 7MM REM MAG | .300 WIN MAG









FOR THE HUNTER WHO WANTS A HIGH-QUALITY SINGLE SHOT RIFLE, THE BA13 TAKE DOWN IS THE IDEAL CHOICE. OUR BA13 TAKE DOWN RANGE IS A POPULAR CHOICE FOR MOUNTAIN HUNTING. ITS EXCELLENT MANEU-VERABILITY AND PRECISION MAKE THE BA13 TD SINGLE SHOOT RIFLE AN OPTIMAL PERFORMANCE FOR A STALKING RIFLE.

#### FEATURES

**BERGARA ACTION** 

- 100% Ambidextrous stock
- CrushZone® recoil pad
- Equipped with a weaver-style rail
- Reversible cocking spur
- Trigger guard actuated breech system

**BERGARA BARREL** 

- Fluted Bergara Barrel
- Matte Blued / Elite Moss Cerakote<sup>®</sup>
- 4140 CrMo blued steel or 410 AISI stainless steel

**SAFETY MECHANISMS** • Compact Synthetic design or Thumbhole stock in black color, Strata camo or green colour





# SPOTLIGHT

## AL LOUANGKETH // BA13 THUMBHOLE

#### BLACK FOREST, GERMANY BOAR


The morning sun was slowly evaporating the moisture from the ground, creating a foggy mist that was getting thick around me, suddenly I heard some twigs snapping in the thick pine groves.

The cautious snapping of the twigs tells me it was moving to a small clearing. I gently picked up my BA13 and eased to a comfortable shooting position. Suddenly, I noticed a dark shadow appearing out of the thick pine. There he is! One of the biggest boars I've ever seen in my forest coming out into the clearing thirty meters away!

I pulled the hammer back on my BA13. Just as he stopped, he dropped when the hammer fell. The Black Forest beast laid still at my feet.









## TD THUMBHOLE

#### WEIGHT

2.9 kg (6.4 lbs)

#### BARREL

4140 CrMo Steel 42 cm (16.5") - 51 cm (20") barrel lengths

#### **FINISH**

Matte blued

#### STOCK


Thumbhole Synthetic black

#### SCOPE MOUNT

Weaver style aluminium rail







## TD STANDARD

#### WEIGHT

starting at 3.1 kg (6.8 lbs)

#### BARREL

4140 CrMo Steel 42 cm (16.5") - 51 cm (20") barrel lengths

#### FINISH


Matte blued

#### STOCK

Synthetic black

#### SCOPE MOUNT

Weaver style aluminium rail





**CALIBERS** 

.243 WIN .308 WIN .30-06 SPRG .45-70 GOVT .8X57 JRS .300 BLACKOUT

CALIBERS

.243 WIN .308 WIN .30-06 SPRG .45-70 GOVT .8X57 JRS .300 BLACKOUT

## TD THUMBHOLE STRATA

## WEIGHT

starting at 3.1 kg (6.8 lbs)

#### BARREL

4140 CrMo Steel 51 cm (20") barrel length

#### **FINISH**


Elite Moss Cerakote®

#### STOCK

Thumbhole Synthetic camo strata

#### SCOPE MOUNT

Weaver style steel rail





## TD STANDARD STRATA

#### WEIGHT

starting at 3.1 kg (6.8 lbs)

#### BARREL

4140 CrMo Steel 51 cm (20") barrel length

#### **FINISH**


Elite Moss Cerakote®

#### STOCK

Synthetic camo strata

#### SCOPE MOUNT

Weaver style steel rail





6.5 CREEDMOOR .308 WIN

.223 REM | 6.5 CREEDMOOR | .308 WIN



CALIBERS

## TD THUMBHOLE GREEN

## WEIGHT

starting at 3.1 kg (6.8 lbs)

#### **BARREL**

410 stainless steel 51 cm (20") barrel length


#### STOCK

Thumbhole Synthetic green

#### SCOPE MOUNT

Weaver style aluminium rail







## TD STANDARD GREEN

## WEIGHT

starting at 3.1 kg (6.8 lbs)

#### BARREL

410 stainless steel 51 cm (20") barrel length

#### STOCK

Synthetic green

#### SCOPE MOUNT

Weaver style aluminium rail





.223 REM | 6.5 CREEDMOOR | .308 WIN

CALIBERS

.223 REM | 6.5 CREEDMOOR | .308 WIN






MANUFACTURING HIGHLY ACCURATE RIMFIRE BARRELS IS NOT NEW TO US. WE'VE BEEN DOING IT ON AN OEM BASIS FOR WELL OVER A DECADE. WE'VE COMBINED THREE DISTINCT PLATFORMS, EACH DESIGNED FOR VERY DIFFERENT NEEDS, TO FORM OUR RIMFIRE SERIES. PLINKERS, HUNTERS, AND EVEN LONG RANGE RIMFIRE COMPETITORS REAP THE BENEFITS, UPGRADES, AND CROSS COMPATIBILITY FOUND IN THESE RIFLES. THE ONE THING THEY ALL HAVE IN COMMON - NOTHING LESS THAN PERFECTION.

## FEATURES

**PROPRIETARY RIMFIRE** • Specialty rimfire actions ACTIONS Match Grade chambers Detachable magazines • Left-Handed Available on B–14R **BERGARA BARREL**  Made from 4140 CrMo Steel Matte blued finish Carbon barrel options available TRIGGER Bergara Performance Trigger STOCK • Bergara HMR stock, Adjustable cheek, Free-floated (B-14R) • QD Cups and Swivels (BMR Swivel only)









## LEWIS MACFARLANE // BMR CARBON

## UNITED KINGDOM SQUIRREL

With the colder winter days here, the squirrels are foraging for winter stores. This is one of the best times of year to garner their interest in the squirrel feeders.

I generally top them off with a variety of nuts and maize mix, overlooked by a popup blind some 50 yards away. These are a great bit of kit to stay comfortable and hidden from the squirrels.

Once they get used to the food source and the blind, which is set up a day or two before, all I need do is slip into the blind before first light, load up the BMR, sip some coffee and wait patiently for the squirrels to arrive.







# **B-14R** // CARBON

#### WEIGHT

starting at 3.6 kg (8.1 lbs)

## CAPACITY

magazine fed 10 Rounds

#### **BARREL**

Carbon Barrel 46 cm (18") - 51 cm (20") barrel lengths

#### **FINISH**

Matte blued

#### STOCK

Bergara HMR stock

#### MAGAZINE

AICS Style Detachable









#### WEIGHT

starting at 4.1 kg (9.2 lbs)

#### BARREL

4140 CrMo Steel 46 cm (18") - 51 cm (20") barrel lengths

magazine fed 10 Rounds

#### **FINISH**

Matte blued

#### STOCK

Bergara HMR stock

#### MAGAZINE

AICS Style Detachable





**CALIBERS** 

.22 LR .22 WMR .17 HMR

.22 LR .22 WMR .17 HMR

**CALIBERS** 

# BMR // CARBON

## WEIGHT

starting at 2.3 kg (5 lbs)

## CAPACITY

magazine fed 5 & 10 Rounds

#### BARREL

Carbon Barrel 46 cm (18") - 51 cm (20") barrel lengths

#### **FINISH**

Matte blued

#### STOCK

BMR stock

#### MAGAZINE

AICS Style Detachable





# BMR // STEEL

## WEIGHT

starting at 2.5 kg (5.5 lbs)

## CAPACITY

magazine fed 5 & 10 Rounds

#### BARREL

4140 CrMo Steel 46 cm (18") - 51 cm (20") barrel length

#### **FINISH**

Matte blued

#### STOCK

BMR stock

#### MAGAZINE

AICS Style Detachable



**CALIBERS** 

.22 LR .22 WMR .17 HMR

CALIBERS .22 LR .22 WMR .17 HMR



# BARRELED ACTION // SHOOTING

## WEIGHT

starting at 3.6 kg (7.9 lbs) CAPACITY magazine fed 10 Rounds

#### BARREL

410 stainless steel 66 cm (26") barrel length

#### MAGAZINE

AICS Style Detachable included







# **BARRELED ACTION** // RIMFIRE SHOOTING

#### WEIGHT

3.4 kg (7.5 lbs)

CAPACITY magazine fed 10 Rounds

#### BARREL

410 stainless steel 51 cm (20") barrel length

#### MAGAZINE

AICS Style Detachable included



**CALIBERS** 

6 MM CREEDMOOR 6.5 CREEDMOOR .308 WIN

CALIBER

.22 LR

# BERGARA ACCESSORIES ACCESSORIES



OMNI MUZZLE BRAKE



**BERGARA AICS MAGAZINES** 



BERGARA RAIL Fits Rem  $700^{\circ}$  with 6–48 and 8–40 screws



**B-14R MAGAZINE** 



BERGARA EDC BACKPACK



BERGARA SOFT RIFLE GUNCASE



QUAKE SLINGS




#### PREMIER SERIES RIFLES

\*All Premier Series Rifles come with TriggerTech Frictionless Release Technology™ and barrel & action in Tactical Grey Cerakote®

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
HMR PRO *Feature a	a Bergara HMR molded stock	k with mini-chas	sis						
BP235-22250	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BP236-6C	6 Creedmoor	1:7,5"	66 cm (26")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BP235-65	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BP235-65HB	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,44 Kg (9.8 lbs)	DETACHABLE	5+1
BP236-65PRC	6,5 PRC	1:8"	66 cm (26")	117 cm (46")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,39 Kg (9.7 lbs)	DETACHABLE	3+1
BP233-308	.308 Win	1:10"	51 cm (20")	103 cm (40")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,21 Kg (9.3 lbs)	DETACHABLE	5+1
BP236-300	.300 Win Mag	1:10"	66 cm (26")	121 cm (47.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,44 Kg (9.8 lbs)	DETACHABLE	5+1
BP236-300PRC	.300 PRC	1:9"	66 cm (26")	121 cm (47.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,44 Kg (9.8 lbs)	DETACHABLE	5+1
MOUNTAIN 2.0 *Fea	ture a 100% carbon-fiber st	ock							
BP224F-243	.243 Win	1:10"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FL00RPLATE	4+1
BP224F-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FL00RPLATE	4+1
BP225F-65PRC	6,5 PRC	1:8"	61 cm (24")	110 cm (43.5")	15 mm (No. 3)	-	2,85 Kg (6.3 lbs)	FL00RPLATE	2+1
BP224F-308	.308 Win	1:10"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FL00RPLATE	4+1
BP224F-270	.270 Win	1:10"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FL00RPLATE	4+1
BP225F-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	15 mm (No. 3)	-	2,9 Kg (6.4 lbs)	FL00RPLATE	3+1

B-14<sup>2</sup> SERIES RIFLES
\*B-14<sup>2</sup> Series Rifle come with the Bergara Performance Trigger and barrel & action in Sniper Grey Cerakote®

	· ·								
Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
CREST *Feature a 1	00% carbon fiber monocoque	e stock and insta	alled Omni Brake						
BE163-243	.243 Win	1:10"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163-65	6,5 Creedmoor	1:8"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163-65PRC	6,5 PRC	1:8"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	3+1
BE163-308	.308 Win	1:10"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE165-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	113 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,26 Kg (7.2 lbs)	AICS COMPATIBLE	5+1
BE165-300	.300 Win Mag	1:10"	61 cm (24")	113 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,26 Kg (7.2 lbs)	AICS COMPATIBLE	5+1



B-14 WILDERNESS SERIES® RIFLES
\*All B-14 Wilderness Series Rifles feature Bergara barreled actions in Sniper Grey Cerakote® and have stocks with Bergara custom camouflage.

Wilson-Service   Service   Control   Process	ne Capacit
DRYSSOROR (S. PPIC   15"   61 cm (24")   11 cm (44")   21 cm (40")   21 cm (40 cm )   35 cm (27"   bm)   05 cm (30 cm)   05 cm (30 cm)   05 cm)   05 cm)   05 cm (30 cm)   05	
\$SYSTEMS   30.8 Win	HABLE 5+1
WIRESPORT   1.00   1.	HABLE 3+1
	HABLE 5+1
WISS-265   G. Credmore	HABLE 5+1
WISS-669 6 5 Determinant   1-13"   51 cm   20"   103 cm   40.5"   17.5 cm   70.5   598-24 UNEF   3,8 kg   7,2 labs   DETACMAB   VISS-5308   308 Wim   11:0"   51 cm   20"   103 cm   40.5"   17.5 cm   70.5   588-24 UNEF   3,8 kg   7,2 labs   DETACMAB   VISS-5308   308 Wim   11:0"   51 cm   20"   103 cm   40.5"   17.5 cm   70.5   588-24 UNEF   3,8 kg   7,2 labs   DETACMAB   VISS-5308   300 Wim   11:0"   51 cm   20"   114 cm   44.5"   17.5 cm   70.5   588-24 UNEF   3,8 kg   7,2 labs   DETACMAB   VISS-5308   3,00 Wim   11:0"   51 cm   20"   102 cm   40"   114 cm   44.5"   17.5 cm   70.5   588-24 UNEF   3,8 kg   7,2 labs   DETACMAB   VISS-5308   3,00 Wim   11:0"   51 cm   20"   102 cm   40"   12.5 cm   70.6   588-24 UNEF   3,8 kg   7,2 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm   70.6   588-24 UNEF   3,8 kg   7,2 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm   70.6   588-24 UNEF   3,8 kg   7,2 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm   70.6   588-24 UNEF   3,8 kg   7,2 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm   70.6   588-24 UNEF   3,4 kg   7,5 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm   70.6   588-24 UNEF   3,4 kg   7,5 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm   70.6   588-24 UNEF   3,4 kg   7,5 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm   70.6   588-24 UNEF   3,4 kg   7,5 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm   70.6   588-24 UNEF   3,4 kg   9,5 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm   70.6   588-24 UNEF   3,4 kg   9,5 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm   70.6   588-24 UNEF   3,4 kg   9,5 labs   DETACMAB   VISS-569PAC   6,5 PNC   1.8"   61 cm   24"   112 cm   44"   21.5 cm	
NNISS-369RC 6,5 PRC 138" 61 cm Q2") 105 cm (40.5") 17.5 cm (No.5) 598-24 UNEF 3,8 kg (7,2 lbs) DETACMBN (NISS-378M) 7mm Rem Mag 19.5" 61 cm Q24") 114 cm (44.5") 17.5 cm (No.5) 598-24 UNEF 3,8 kg (7,7 lbs) DETACMBN (NISS-378M) 7mm Rem Mag 19.5" 61 cm Q24") 114 cm (44.5") 17.5 cm (No.5) 598-24 UNEF 3,8 kg (7,7 lbs) DETACMBN (NISS-378M) 7mm Rem Mag 19.5" 61 cm Q24") 114 cm (44.5") 17.5 cm (No.5) 598-24 UNEF 3,8 kg (7,7 lbs) DETACMBN (NISS-378M) 7mm Rem Mag 19.5" 61 cm Q24") 112 cm (44.7") 21.5 cm (No.5) 598-24 UNEF 3,8 kg (7,7 lbs) DETACMBN (NISS-369R) 80 kW 136-25 cm (10.2") 112 cm (44.7") 21.5 cm (No.5) 598-24 UNEF 3,8 kg (7,8 lbs) DETACMBN (NISS-369R) 80 kW 136-25 cm (10.2") 112 cm (44.7") 21.5 cm (No.5) 598-24 UNEF 3,8 kg (7,8 lbs) DETACMBN (NISS-369R) 80 kW 136-25 cm (10.2") 112 cm (44.7") 112 cm (44.7") 21.5 cm (No.5) 598-24 UNEF 3,8 kg (7.8 lbs) DETACMBN (NISS-369R) 80 kW 136-25 cm (10.2") 112 cm (44.7") 112 cm (44.7") 21.5 cm (No.5) 598-24 UNEF 3,8 kg (8.3 lbs) DETACMBN (NISS-369R) 80 kW 136-25 cm (10.2") 112 cm (44.7")	HABLE 5+1
NINES-2009	HABLE 5+1
Part	HABLE 3+1
NWISS-30M 7mm Rem Mag 1.9.5" of 1 cm 24" 114 cm (44.5") 17.5 mm (No. 5) 50°-24 LINEF 3.5 kg (7.7 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 1 cm 24" 116 cm (44.5") 17.5 mm (No. 5) 50°-24 LINEF 3.5 kg (7.7 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 1 cm 24" 112 cm (44.5") 17.5 mm (No. 5) 50°-24 LINEF 3.6 kg (7.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 1 cm 24" 112 cm (44.5") 17.5 mm (No. 5) 50°-24 LINEF 3.6 kg (7.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 1 cm 24" 112 cm (44.5") 21.5 mm (No. 6) 50°-24 LINEF 3.6 kg (7.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 1 cm 24" 112 cm (44.5") 21.5 mm (No. 6) 50°-24 LINEF 3.6 kg (7.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 1 cm 24" 112 cm (44.5") 21.5 mm (No. 6) 50°-24 LINEF 3.6 kg (7.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 1 cm 24" 112 cm (44.5") 21.5 mm (No. 6) 50°-24 LINEF 3.6 kg (7.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 1 cm 24" 112 cm (44.5") 21.5 mm (No. 6) 50°-24 LINEF 4.6 kg (9.7 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 5 cm 26" 114 cm (44.5") 21.5 mm (No. 6) 50°-24 LINEF 4.8 kg (9.7 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 5 cm 26" 114 cm (44.5") 21.5 mm (No. 6) 50°-24 LINEF 4.8 kg (9.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 5 cm 26" 114 cm (44.5") 21.5 mm (No. 6) 50°-24 LINEF 4.8 kg (9.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 5 cm 26" 114 cm (44.5") 21.5 mm (No. 6) 50°-24 LINEF 4.8 kg (9.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 5 cm 26" 114 cm (44.5") 21.5 mm (No. 6) 50°-24 LINEF 4.8 kg (9.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 5 cm 26" 100 cm 36" 31" 115 mm (No. 6) 50°-24 LINEF 4.8 kg (9.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 5 cm 26" 100 cm 36" 31" 115 mm (No. 6) 50°-24 LINEF 2.8 kg (6.8 kg) DETACHAB MINS-30M 30.00 Win Mag 1.10" of 5 cm 26" 112 cm (44") 112 cm (44") 115 mm (No. 6) 50°-24 LINEF 3.8 kg (7.7 kg) be DETACHAB MINS-30M 30.00 Win Mag 1.10" of 6 cm 26" 112 cm (44") 112 cm (44") 115 mm (No. 6) 50°-24 LINEF 3.8 kg (7.7 kg) be DETACHAB MINS-30M 30.00 Win Mag 1.10" of 6 cm 26" 1	HABLE 5+1
MIT   Sealer   Seal	HABLE 5+1
MINI CARRON   "Feature   Bergane MMR moded stock with mini-chansis cannot barve   and installed Orne   Brake	HABLE 5+1
WIN34-65   6,5 Creadmoor	
NY 350-69PRC 6,5 PRC 1.8" 6 1 cm (24") 112 cm (44") 21,5 mm (No. 6) 5/8-24 UNEF 3,4 Kg (7.5 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 112 cm (44.5") 21,5 mm (No. 6) 5/8-24 UNEF 3,4 Kg (7.5 big) DETACHAB WY 350-500 300 Win Mag 1:10" 6 1 cm (24") 112 cm (44.5") 21,5 mm (No. 6) 5/8-24 UNEF 3,4 Kg (8.3 big) DETACHAB WY 350-500 5,5 PRC 1:8" 6 1 cm (24") 112 cm (44") 21,5 mm (No. 6) 5/8-24 UNEF 4,4 Kg (9.7 big) DETACHAB WY 350-65PRC 6,5 PRC 1:8" 6 1 cm (24") 112 cm (44") 21,5 mm (No. 6) 5/8-24 UNEF 4,4 Kg (9.7 big) DETACHAB WY 350-65PRC 6,5 PRC 1:8" 6 1 cm (24") 112 cm (44") 21,5 mm (No. 6) 5/8-24 UNEF 4,4 Kg (9.7 big) DETACHAB WY 350-65PRC 3,00 Win Mag 1:10" 6 6 cm (26") 114 cm (44.5") 21,5 mm (No. 6) 5/8-24 UNEF 4,5 Kg (9.9 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 6 cm (26") 114 cm (44.5") 21,5 mm (No. 6) 5/8-24 UNEF 4,5 Kg (9.9 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 6 cm (26") 114 cm (44.5") 21,5 mm (No. 6) 5/8-24 UNEF 4,5 Kg (9.9 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 10 cm (93.5") 21,5 mm (No. 6) 5/8-24 UNEF 2,9 Kg (6.5 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 10 cm (93.5") 21,5 mm (No. 6) 5/8-24 UNEF 2,9 Kg (6.5 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 110 cm (43.5") 21,5 mm (No. 6) 5/8-24 UNEF 2,9 Kg (6.5 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 110 cm (43.5") 21,5 mm (No. 6) 5/8-24 UNEF 2,9 Kg (6.5 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 110 cm (43.5") 21,5 mm (No. 6) 5/8-24 UNEF 3,6 Kg (6.7 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 110 cm (43.5") 21,5 mm (No. 6) 5/8-24 UNEF 3,6 Kg (6.7 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 110 cm (43.5") 21,5 mm (No. 6) 5/8-24 UNEF 3,6 Kg (6.7 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 110 cm (43.5") 21,5 mm (No. 6) 5/8-24 UNEF 3,6 Kg (6.7 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 110 cm (43.5") 12,5 mm (No. 6) 5/8-24 UNEF 3,6 Kg (6.7 big) DETACHAB WY 350-300 300 Win Mag 1:10" 6 1 cm (24") 110 cm (44.5") 12,5 mm (No.	HABLE 5+1
NY 130C-308	
Wilson   South   Wilson   Wi	
With 35-65 6, 5, Creedmoor 1.8" of com (24") 107 cm (42") 21.5 mm (No. 6) 5/8-24 UNEF 4, 4 kg (9.7 lbs) DETACHAB With 35-65 m (5, 5) receded to 1.8" of com (24") 107 cm (42") 21.5 mm (No. 6) 5/8-24 UNEF 4, 4 kg (9.7 lbs) DETACHAB With 35-80 300 300 Win Mag 1:10" of 6 cm (26") 114 cm (44.5") 21.5 mm (No. 6) 5/8-24 UNEF 4, 5 kg (9.9 lbs) DETACHAB With 35-800 300 300 Win Mag 1:10" of 6 cm (26") 114 cm (44.5") 21.5 mm (No. 6) 5/8-24 UNEF 4, 5 kg (9.9 lbs) DETACHAB With 35-800 300 300 Win Mag 1:10" of 6 cm (26") 114 cm (44.5") 21.5 mm (No. 6) 5/8-24 UNEF 4, 5 kg (9.9 lbs) DETACHAB With 35-800 300 300 Win Mag 1:10" of 6 cm (26") 100 cm (35.5") 21.5 mm (No. 6) 5/8-24 UNEF 4, 5 kg (9.9 lbs) DETACHAB With 35-800 300 300 Win Mag 1:10" of 1 cm (20") 100 cm (35.5") 21.5 mm (No. 6) 5/8-24 UNEF 4, 5 kg (9.9 lbs) DETACHAB With 35-800 300 300 Win Mag 1:10" of 1 cm (24") 112 cm (44") 21.5 mm (No. 6) 5/8-24 UNEF 2, 2 kg (6.5 lbs) DETACHAB With 35-800 300 Win Mag 1:10" of 1 cm (24") 112 cm (44") 21.5 mm (No. 6) 5/8-24 UNEF 2, 2 kg (6.5 lbs) DETACHAB With 35-800 300 Win Mag 1:10" of 1 cm (24") 110 cm (43.5") 21.5 mm (No. 6) 5/8-24 UNEF 2, 2 kg (6.5 lbs) DETACHAB With 35-800 300 Win Mag 1:10" of 1 cm (24") 110 cm (43.5") 21.5 mm (No. 6) 5/8-24 UNEF 2, 2 kg (6.5 lbs) DETACHAB With 35-800 300 Win Mag 1:10" of 1 cm (24") 110 cm (43.5") 21.5 mm (No. 6) 5/8-24 UNEF 2, 2 kg (6.5 lbs) DETACHAB With 35-800 300 Win Mag 1:10" of 1 cm (24") 110 cm (43.5") 21.5 mm (No. 6) 5/8-24 UNEF 2, 2 kg (6.4 lbs) DETACHAB With 35-800 300 Win Mag 1:10" of 1 cm (24") 110 cm (43.5") 11.5 mm (No. 6) 5/8-24 UNEF 3 kg (6.7 lbs) PLOORPLA With 35-800 300 Win Mag 1:10" of 1 cm (24") 110 cm (43.5") 11.5 mm (No. 6) 5/8-24 UNEF 3 kg (6.7 lbs) PLOORPLA With 35-800 300 Win Mag 1:10" of 1 cm (24") 110 cm (43.5") 17.5 mm (No. 6) 5/8-24 UNEF 3 kg (6.7 lbs) PLOORPLA With 35-800 300 Win Mag 1:10" of 1 cm (24") 110 cm (43.5") 17.5 mm (No. 5) 5/8-24 UNEF 3 kg (6.7 lbs) PLOORPLA With 35-800 300 Win Mag 1:10" of 1 cm (24") 110 cm (43.5") 17.5 mm (No. 5) 5/8-24 UNEF 3 kg (7.7 lb	
Wils-66PRC   6,5 PRC   1.8"   61 cm (24")   107 cm (42")   21.5 mm (No. 6)   5/8-24 UNEF   4,4 kg (9.7 lbs)   DETACHAB   Wils-66PRC   6,5 PRC   1.8"   61 cm (24")   112 cm (44")   21.5 mm (No. 6)   5/8-24 UNEF   4,4 kg (9.7 lbs)   DETACHAB   Wils-6-800   .300 Win Mag   1.10"   61 cm (26")   114 cm (44.5")   21.5 mm (No. 6)   5/8-24 UNEF   4,5 kg (9.9 lbs)   DETACHAB   Wils-6-300   .300 Win Mag   1.10"   66 cm (26")   114 cm (44.5")   21.5 mm (No. 6)   5/8-24 UNEF   4,5 kg (9.9 lbs)   DETACHAB   Wils-6-300   .300 Win Mag   1.10"   61 cm (26")   114 cm (44.5")   21.5 mm (No. 6)   5/8-24 UNEF   4,5 kg (9.9 lbs)   DETACHAB   Wils-6-300   .300 Win   .110"   51 cm (20")   100 cm (39.5")   21.5 mm (No. 6)   5/8-24 UNEF   2.9 kg (6.5 lbs)   DETACHAB   Wils-26-300   .300 Win Mag   1.10"   61 cm (24")   110 cm (43.5")   21.5 mm (No. 6)   5/8-24 UNEF   2.9 kg (6.5 lbs)   DETACHAB   Wils-26-6-56-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6	IADEL STI
89138-65PRC 6,5 PRC 1.8" 61 cm (24") 112 cm (44") 21.5 mm (No. 6) 5/8-24 UNFF 4,4 kg (9.7 lbs) DETACHAB 89138-3008 3.08 Win 1:10" 66 cm (26") 114 cm (44") 21.5 mm (No. 6) 5/8-24 UNFF 4,5 kg (9.9 lbs) DETACHAB 89138-3009 3.00 Win Mag 1:10" 66 cm (26") 114 cm (44.5") 21.5 mm (No. 6) 5/8-24 UNFF 4,5 kg (9.9 lbs) DETACHAB 89138-300PRC 3.00 PRC 1:3" 66 cm (26") 114 cm (44.5") 21.5 mm (No. 6) 5/8-24 UNFF 4,5 kg (9.9 lbs) DETACHAB 89138-300PRC 3.00 PRC 1:3" 66 cm (26") 10.5 cm (14.5") 21.5 mm (No. 6) 5/8-24 UNFF 4,5 kg (9.9 lbs) DETACHAB 891328-300 3.00 Win 1:10" 51 cm (20") 100 cm (39.5") 21.5 mm (No. 6) 5/8-24 UNFF 2.9 kg (6.5 lbs) DETACHAB 89128C-300 3.00 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 21.5 mm (No. 6) 5/8-24 UNFF 2.9 kg (6.5 lbs) DETACHAB 89128C-500 3.00 Win Mag 1:10" 51 cm (24") 112 cm (44") 21.5 mm (No. 6) 5/8-24 UNFF 3 kg (6.7 lbs) DETACHAB 89128C-500 3.00 Win Mag 1:10" 51 cm (22") 105 cm (41.5") 21.5 mm (No. 6) 5/8-24 UNFF 3 kg (6.7 lbs) DETACHAB 89128C-500 3.00 Win Mag 1:10" 51 cm (22") 100 cm (39.5") 21.5 mm (No. 6) 5/8-24 UNFF 3 kg (6.7 lbs) PLOORPLA 89128C-50-308 3.00 Win 1:10" 51 cm (22") 100 cm (39.5") 21.5 mm (No. 6) 5/8-24 UNFF 3 kg (6.7 lbs) PLOORPLA 89128C-50-308 3.00 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 21.5 mm (No. 6) 5/8-24 UNFF 3 kg (6.7 lbs) PLOORPLA 89128C-50-308 3.00 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNFF 3.5 kg (6.7 lbs) PLOORPLA 89128C-50-300 3.00 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNFF 3.5 kg (7.7 lbs) DETACHAB 89128C-500 3.00 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNFF 3.5 kg (7.7 lbs) DETACHAB 89128C-500 3.00 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNFF 3.5 kg (7.7 lbs) DETACHAB 89128C-500 3.00 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNFF 3.3 kg (7.7 lbs) DETACHAB 89128C-500 3.00 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNFF 3.3 kg (7.7 lbs) DETACHAB 89128C-500 3.00 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5	JADLE 5:1
381133-308	
Set   18-00   3.00 Win Mag	
NY 136-300PRC	
### AUTOCA CARBON "Feature an American style synthetic stock carbon barrel and installed Ormal Brake ### AUTOCA CARBON "Feature an American style synthetic stock carbon barrel and installed Ormal Brake ### AUTOCA CARBON "Feature an American style synthetic stock and installed Ormal Brake ### AUTOCA CARBON "A CARBON	
8W124C-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 21.5 mm (No. 6) 5/8-24 UNEF 2.9 Kg (6.5 lbs) DETACHAB 8W125C-3008 .308 Win 1:10" 51 cm (20") 100 cm (39.5") 21.5 mm (No. 6) 5/8-24 UNEF 2.9 Kg (6.4 lbs) DETACHAB 8W125C-3000 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 21.5 mm (No. 6) 5/8-24 UNEF 3 kg (6.7 lbs) DETACHAB 8W125C-3000 .300 Win Mag 1:10" 51 cm (24") 110 cm (43.5") 21.5 mm (No. 6) 5/8-24 UNEF 3 kg (6.7 lbs) DETACHAB 8W125CF-365PRC 6,5 PRC 1:8" 61 cm (24") 110 cm (43.5") 21.5 mm (No. 6) 5/8-24 UNEF 2.9 Kg (6.5 lbs) PLOORPLA' 8W125CF-309 .308 Win 1:10" 51 cm (20") 100 cm (39.5") 21.5 mm (No. 6) 5/8-24 UNEF 2.9 Kg (6.5 lbs) PLOORPLA' 8W125CF-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 21.5 mm (No. 6) 5/8-24 UNEF 3 kg (6.7 lbs) PLOORPLA' 8W125CF-300 .300 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 6) 5/8-24 UNEF 3 kg (6.7 lbs) PLOORPLA' 8W125CF-300 .300 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3 kg (7.5 lbs) DETACHAB 8W125CF-300 .300 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3, kg (7.7 lbs) DETACHAB 8W125CF-300 .300 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3, kg (7.7 lbs) DETACHAB 8W125CF-300 .300 Win Mag 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3, kg (7.7 lbs) DETACHAB 8W125CF-300 .300 Win Mag 1:10" 51 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3, kg (7.7 lbs) DETACHAB 8W125CF-300 .300 Win Mag 1:10" 51 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3, kg (7.7 lbs) DETACHAB 8W125CF-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3, kg (7.7 lbs) PLOORPLA' 8W125CF-30PRC 6,5 PRC 1:8" 61 cm (24") 110 cm (43.5") 17.5 mm (No. 5) 5/8-24 UNEF 3, kg (7.7 lbs) PLOORPLA' 8W125CF-30PRC 6,5 PRC 1:8" 61 cm (24") 111 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3, kg (7.7 lbs) PLOORPLA' 8W125CF-30PRC 6,5 PRC 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 kg (3.3 lbs) DETACHAB 8W145-65 PRC 6,5 Creedmoor 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8	HABLE 5+1
WILESC-300   3.00 Win Mag	
WI125C-300   .300 Win Mag	HABLE 3+1
W124CF-65   6,5 Creedmoor   1:8"   56 cm (22")   105 cm (41.5")   21.5 mm (No. 6)   5/8-24 UNEF   2.9 kg (6.5 lbs)   FLOORPLA'   W125CF-65PRC   6,5 PRC   1:8"   61 cm (24")   110 cm (43.5")   21.5 mm (No. 6)   5/8-24 UNEF   3 kg (6.7 lbs)   FLOORPLA'   W125CF-308   308 Win   1:10"   51 cm (20")   100 cm (39.5")   21.5 mm (No. 6)   5/8-24 UNEF   2.9 kg (64 lbs)   FLOORPLA'   W125CF-308   3.00 Win Mag   1:10"   61 cm (24")   112 cm (44")   21.5 mm (No. 6)   5/8-24 UNEF   3.4 kg (7.5 lbs)   FLOORPLA'   W124CF-5300   3.00 Win Mag   1:10"   51 cm (20")   100 cm (39.5")   17.5 mm (No. 5)   5/8-24 UNEF   3.4 kg (7.5 lbs)   DETACHAB   W125CF-308   3.00 Win   3.00 Win   3.10"   51 cm (20")   100 cm (39.5")   17.5 mm (No. 5)   5/8-24 UNEF   3.4 kg (7.5 lbs)   DETACHAB   W125-300   3.00 Win Mag   1:10"   61 cm (24")   112 cm (44")   17.5 mm (No. 5)   5/8-24 UNEF   3.5 kg (7.7 lbs)   DETACHAB   W125F-308   3.00 Win Mag   1:10"   61 cm (24")   112 cm (44")   17.5 mm (No. 5)   5/8-24 UNEF   3.4 kg (7.5 lbs)   DETACHAB   W125F-308   3.00 Win Mag   1:10"   51 cm (20")   100 cm (39.5")   17.5 mm (No. 5)   5/8-24 UNEF   3.4 kg (7.5 lbs)   DETACHAB   W125F-308   3.00 Win Mag   1:10"   51 cm (20")   100 cm (39.5")   17.5 mm (No. 5)   5/8-24 UNEF   3.4 kg (7.5 lbs)   FLOORPLA'   W125F-500   3.00 Win Mag   1:10"   61 cm (24")   112 cm (44")   17.5 mm (No. 5)   5/8-24 UNEF   3.5 kg (7.7 lbs)   FLOORPLA'   W125F-500   3.00 Win Mag   1:10"   61 cm (24")   112 cm (44")   17.5 mm (No. 5)   5/8-24 UNEF   3.5 kg (7.7 lbs)   FLOORPLA'   W125F-500C   3.00 Win Mag   1:10"   61 cm (24")   112 cm (44")   17.5 mm (No. 5)   5/8-24 UNEF   3.5 kg (7.7 lbs)   FLOORPLA'   W125F-50PRC   6.5 PRC   1:8"   61 cm (24")   112 cm (44")   17.5 mm (No. 5)   5/8-24 UNEF   3.5 kg (7.7 lbs)   FLOORPLA'   W125F-50PRC   6.5 PRC   1:8"   61 cm (24")   114 cm (45")   19.1 mm (No. 5)   5/8-24 UNEF   3.5 kg (7.7 lbs)   FLOORPLA'   W145F-65PRC   6.5 PRC   1:8"   61 cm (24")   114 cm (45")   19.1 mm (No. 5.5)   5/8-24 UNEF   4.2 kg (9.3 lbs)   DETACHAB   W145F-65PRC	HABLE 3+1
Name	HABLE 2+1
W123CF-308   .308 Win   .1:10"   51 cm (20")   100 cm (39.5")   21.5 mm (No. 6)   5/8-24 UNEF   .2,9 kg (6.4 lbs)   FLOORPLA'	PLATE 4+1
### String	PLATE 3+1
RIDGE *Feature an American style synthetic stock and installed Omni Brake  8W124-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,4 kg (7.5 lbs) DETACHAB  8W123-308 .308 Win 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) DETACHAB  8W125-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) DETACHAB  8W125-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) DETACHAB  8W125-308 .308 Win 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) DETACHAB  8W125-7RM 7mm Rem Mag 1:9,5" 61 cm (22") 105 cm (41.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,4 kg (7.5 lbs) FLOORPLA*  8W125-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA*  8W125-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA*  8W125-7800 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA*  8W125-7800 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA*  8W125-7800 RC .300 PRC 1:8" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA*  8W125-7800 RC .300 PRC 1:9" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA*  8W145-65PRC 6,5 PRC 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 kg (9.3 lbs) DETACHAB  8W145-65PRC 6,5 PRC 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 kg (9.3 lbs) DETACHAB  8W145-65PRC 6,5 PRC 1:8" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 kg (9.3 lbs) DETACHAB  8W145-65PRC 6,5 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 kg (9.3 lbs) DETACHAB  8W146-300 .300 Win Mag 1:10" 66 cm (26") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 kg (7.1 lbs) DETACHAB  8W146-500 .300 Win Mag 1:9" 66 cm (26") 105 cm (41.5") 16.6 mm (No. 4) - 3,3 kg (7.3 lbs) DETACHAB  8W114-65 6,5 Creedmoor 1:	PLATE 4+1
8W124-65 6,5 Creedmoor 18.8" 56 cm (22") 105 cm (41.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,4 Kg (7.5 lbs) DETACHAB 8W123-308 .308 Win 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) DETACHAB 8W125-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) DETACHAB 8W125-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) DETACHAB 8W125-308 .308 Win 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) DETACHAB 8W123F-308 .308 Win 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 8W123F-308 .300 Win Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 8W125F-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 8W125F-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 8W125F-300 PRC 3.00 PRC 1:8" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 8W125F-300 PRC 3.00 PRC 1:9" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 8W125F-300 PRC 3.00 PRC 1:9" 61 cm (24") 114 cm (45") 19.1 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 8W125F-300 PRC 3.00 PRC 1:9" 61 cm (24") 114 cm (45") 19.1 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 8W125F-300 PRC 3.00 PRC 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.8 lbs) DETACHAB 8W143-308 3.00 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 8W143-308 3.00 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 8W1146-65 6,5 Creedmoor 1:8" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 8W1146-65 6,5 Creedmoor 1:8" 66 cm (26") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 8W1146-65 6,5 Creedmoor 1:8" 66 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) D	PLATE 3+1
30H123-308 308 Win 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,3 kg (7.4 lbs) DETACHAB 30H125-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) DETACHAB 30H125-300 300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) DETACHAB 30H125-308 308 Win 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA'S 30H125F-308 300 Win Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,3 kg (7.4 lbs) FLOORPLA'S 30H125F-300 300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA'S 30H125F-300 300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA'S 30H125F-300 300 PRC 1:9" 61 cm (24") 110 cm (43.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA'S 30H125F-300 PRC 300 PRC 1:9" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA'S 30H125F-300 PRC 300 PRC 1:9" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA'S 30H125F-300 PRC 300 PRC 1:9" 61 cm (24") 114 cm (45") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA'S 30H125F-300 PRC 300 PRC 1:9" 61 cm (24") 114 cm (45") 19.1 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLOORPLA'S 30H125F-65 6,5 Creedmoor 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 kg (9.3 lbs) DETACHAB 30H145-65 6,5 Creedmoor 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 kg (10.1 lbs) DETACHAB 30H145-65 6,5 Creedmoor 1:8" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 kg (10.1 lbs) DETACHAB 30H145-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 kg (7.1 lbs) DETACHAB 30H145-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 kg (7.1 lbs) DETACHAB 30H115-300 300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 kg (7.3 lbs) DETACHAB 30H115-300 300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 kg (7.3 lbs) DETACHAB 30	
39H125-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) DETACHAB 39H125-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) DETACHAB 39H125-308 .308 Win 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,4 Kg (7.5 lbs) FLOORPLA' 39H125-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 39H125-7RM 7mm Rem Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 39H125-78D .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 39H125-78D .300 PRC 1:8" 61 cm (24") 110 cm (43,5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 39H125-78D .300 PRC 1:9" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 39H125-78D .300 PRC 1:9" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA' 39H125-78D .300 PRC 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 39H143-308 .308 Win 1:10" 51 cm (20") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 39H143-308 .308 Win 1:10" 56 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 39H146-300 PRC .300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 39H146-300 .300 Win Mag 1:10" 56 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 39H146-300 ROPRC .300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 39H146-300 ROPRC .300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 39H146-300 ROPRC .300 Win Mag 1:10" 61 cm (24") 110 cm (44") 16.6 mm (No. 4) - 3.19 Kg (7.1 lbs) DETACHAB 39H146-300 ROPRC .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3.3 Kg (7.3 lbs) DETACHAB 39H115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3.3 Kg (7.3 lbs) D	HABLE 3+1
30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) DETACHAB 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 30 30 Win Mag 1:10" 66 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 30 30 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 30 30 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 66 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 66 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLA 30	HABLE 3+1
30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) DETACHAB 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLA 30 30 Win Mag 1:10" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 30 30 Win Mag 1:10" 66 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 30 30 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 30 30 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 66 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 66 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30 30 30 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLA 30	
38W124F-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,4 kg (7.5 lbs) FLORPLA' 38W123F-308 .308 Win 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,3 kg (7.4 lbs) FLORPLA' 38W125F-7RM 7mm Rem Mag 1:9.5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLORPLA' 38W125F-300 .300 Win Mag 1:10" 61 cm (24") 110 cm (43,5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLORPLA' 38W125F-300 PRC 1:8" 61 cm (24") 110 cm (43,5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLORPLA' 38W125F-300 PRC 1:9" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLORPLA' 38W125F-300 PRC 3.30 PRC 1:9" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 kg (7.7 lbs) FLORPLA' 38W125F-300 PRC 3.30 PRC 1:9" 61 cm (24") 114 cm (45") 19.1 mm (No. 5) 5/8-24 UNEF 4,2 kg (9.3 lbs) DETACHAB 38W145-65 6,5 Creedmoor 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 kg (9.3 lbs) DETACHAB 38W143-308 .308 Win 1:10" 51 cm (20") 104 cm (41") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 kg (10.1 lbs) DETACHAB 38W146-300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 kg (10.1 lbs) DETACHAB 38W146-300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 kg (10.1 lbs) DETACHAB 38W114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 kg (7.1 lbs) DETACHAB 38W114-308 .308 Win 1:10" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,3 kg (7.3 lbs) DETACHAB 38W115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 kg (7.3 lbs) DETACHAB 38W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 kg (7.3 lbs) DETACHAB 38W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 kg (7.3 lbs) DETACHAB 38W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 kg (7.3 lbs) DETACHAB 38W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 kg (7.2 lbs) FLOORPLA' 50 Cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 kg (7.2 lbs) FLOORPLA'	
38W123F-308 3.08 Win 1:10" 51 cm (20") 100 cm (39.5") 17.5 mm (No. 5) 5/8-24 UNEF 3,3 Kg (7.4 lbs) FLOORPLATED AND AND AND AND AND AND AND AND AND AN	
38V125F-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLATED SW125F-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3.5 Kg (7.7 lbs) FLOORPLATED SW125F-65PRC 6,5 PRC 1:8" 61 cm (24") 110 cm (43,5") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLATED SW125F-300PRC .300 PRC 1:9" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLATED SW125F-300PRC .300 PRC 1:9" 61 cm (24") 114 cm (45") 19.1 mm (No. 5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB SW145-65 6,5 Creedmoor 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB SW145-300 .300 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB SW146-300 .300 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB SW146-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB SW115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB SW115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB SW115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB SW115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB SW115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB SW115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB SW115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB SW115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB SW115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLATED SW115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLATED SW115-500 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 K	
300 Win Mag 1:10" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3.5 Kg (7.7 lbs) FLOORPLATED AND 125F-65PRC 6,5 PRC 1:8" 61 cm (24") 110 cm (43,5") 17.5 mm (No. 5) 5/8-24 UNEF 3,4 Kg (7.6 lbs) FLOORPLATED AND 125F-300PRC 300 PRC 1:9" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLATED AND 125F-300PRC 300 PRC 1:9" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 30V145-65 6,5 Creedmoor 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 30V145-65PRC 6,5 PRC 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 30V145-65PRC 6,5 PRC 1:8" 61 cm (24") 104 cm (41") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 30V145-300 .300 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 30V146-300 PRC .300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 30V146-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 30V114-308 .308 Win 1:10" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 30V115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 30V115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 30V115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 30V115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 30V114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 30V115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLATED AND 14.5 WIN ADD 15.5	
3W1125F-65PRC 6,5 PRC 1:8" 61 cm (24") 110 cm (43,5") 17.5 mm (No. 5) 5/8-24 UNEF 3,4 Kg (7.6 lbs) FLOORPLATERAIN Feature a Bergara Terrain molded stock mini-chassis and installed Omni Brake  3W145-65 6,5 Creedmoor 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 3W145-65PRC 6,5 PRC 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 3W145-308 .308 Win 1:10" 51 cm (20") 104 cm (41") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 3W146-300 .300 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 3W146-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 3W115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLATEA 3W114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,2 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLATEA	
3W145F-300PRC .300 PRC 1:9" 61 cm (24") 112 cm (44") 17.5 mm (No. 5) 5/8-24 UNEF 3,5 Kg (7.7 lbs) FLOORPLATERRAIN *Feature a Bergara Terrain molded stock mini-chassis and installed Omni Brake  3W145-65 6,5 Creedmoor 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 3W145-65PRC 6,5 PRC 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 3W143-308 .308 Win 1:10" 51 cm (20") 104 cm (41") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 3W146-300 .300 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 3W146-300PRC .300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 4UNTER *Feature an American style synthetic stock  3W114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 3W115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLAT	
### Testure a Bergara Terrain molded stock mini-chassis and installed Omni Brake  ### SW145-65	
3W145-65 6,5 Creedmoor 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 3W145-65PRC 6,5 PRC 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 3W143-308 .308 Win 1:10" 51 cm (20") 104 cm (41") 19.1 mm (No. 5.5) 5/8-24 UNEF 4 kg (8.9 lbs) DETACHAB 3W146-300 .300 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 3W146-300PRC .300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 4UNTER "Feature an American style synthetic stock 3W114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 3W114-308 .308 Win 1:10" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLAT	PLATE 5+1
8W145-65PRC 6,5 PRC 1:8" 61 cm (24") 114 cm (45") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,2 Kg (9.3 lbs) DETACHAB 3W143-308 .308 Win 1:10" 51 cm (20") 104 cm (41") 19.1 mm (No. 5.5) 5/8-24 UNEF 4 Kg (8.9 lbs) DETACHAB 3W146-300 .300 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 3W146-300PRC .300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 3W146-300PRC .300 PRC 1:9" 66 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 3W114-308 .308 Win 1:10" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 3W115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 3W114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB	
38W143-308 .308 Win 1:10" 51 cm (20") 104 cm (41") 19.1 mm (No. 5.5) 5/8-24 UNEF 4 Kg (8.9 lbs) DETACHAB 38W146-300 .300 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 38W146-300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 38W146-300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 38W146-300 PRC 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 38W114-308 .308 Win 1:10" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 38W115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 38W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 38W114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLAT	
300 Win Mag 1:10" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 304146-300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 304146-300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB 304146-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 304114-308 .308 Win 1:10" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 304115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 304115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 304114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLAT	
8W114-6300PRC .300 PRC 1:9" 66 cm (26") 122 cm (48") 19.1 mm (No. 5.5) 5/8-24 UNEF 4,6 Kg (10.1 lbs) DETACHAB  #UNTER *Feature an American style synthetic stock  8W114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB  8W114-308 .308 Win 1:10" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB  8W115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB  8W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB  8W114F-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLAT	
### Feature an American style synthetic stock  ###################################	HABLE 5+1
8W114-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 8W114-308 .308 Win 1:10" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,19 Kg (7.1 lbs) DETACHAB 8W115-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 8W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 8W115-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLAT	HABLE 5+1
8W114-308       .308 Win       1:10"       56 cm (22")       105 cm (41.5")       16.6 mm (No. 4)       -       3,19 Kg (7.1 lbs)       DETACHAB         8W115-7RM       7mm Rem Mag       1:9,5"       61 cm (24")       112 cm (44")       16.6 mm (No. 4)       -       3,3 Kg (7.3 lbs)       DETACHAB         8W115-300       .300 Win Mag       1:10"       61 cm (24")       112 cm (44")       16.6 mm (No. 4)       -       3,3 Kg (7.3 lbs)       DETACHAB         8W114F-65       6,5 Creedmoor       1:8"       56 cm (22")       105 cm (41.5")       16.6 mm (No. 4)       -       3,2 Kg (7.2 lbs)       FLOORPLAT	
SW115-7RM         7mm Rem Mag         1:9,5"         61 cm (24")         112 cm (44")         16.6 mm (No. 4)         -         3,3 Kg (7.3 lbs)         DETACHAB           SW115-300         .300 Win Mag         1:10"         61 cm (24")         112 cm (44")         16.6 mm (No. 4)         -         3,3 Kg (7.3 lbs)         DETACHAB           SW114F-65         6,5 Creedmoor         1:8"         56 cm (22")         105 cm (41.5")         16.6 mm (No. 4)         -         3,2 Kg (7.2 lbs)         FLOORPLATE	HABLE 3+1
8W115-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) DETACHAB 8W114F-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLAT	HABLE 3+1
3,2 Kg (7.2 lbs) FLOORPLATED TRANSPORT SW114F-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLATED TRANSPORT SW114F-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs)	HABLE 2+1
3W114F-65 6,5 Creedmoor 1:8" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLAT	HABLE 2+1
3W114F-308 .308 Win 1:10" 56 cm (22") 105 cm (41.5") 16.6 mm (No. 4) - 3,2 Kg (7.2 lbs) FLOORPLA	
3W115F-7RM 7mm Rem Mag 1:9,5" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) FLOORPLA	
38W115F-300 .300 Win Mag 1:10" 61 cm (24") 112 cm (44") 16.6 mm (No. 4) - 3,3 Kg (7.3 lbs) FLOORPLA	

B-14 EXTREME SERIES RIFLES
\*All B-14 Extreme Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
EXTREME HUNTER	*Feature an American style s	synthetic stock							
BX112-65	6,5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BX112-308	.308 Win	1:10"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
EXTREME HUNTER	*Feature an American style s	synthetic stock a	nd Open Sights						
BX112A-65	6,5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BX112A-308	.308 Win	1:10"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
EXTREME SPORTE	ER *Feature a Montecarlo style	synthetic stock							
BX122-65	6,5 Creedmoor	1:8"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
BX122-308	.308 Win	1:10"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
EXTREME SPORTE	R *Feature a Montecarlo style	synthetic stock	and Open Sights						
BX122A-65	6,5 Creedmoor	1:8"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
BX122A-308	.308 Win	1:10"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
EXTREME HUNTER	R VIPER URBAN *Feature an A	merican style sy	nthetic stock						
BX112-65V	6,5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BX112-308V	.308 Win	1:10"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
EXTREME SPORTE	ER VIPER WESTERN *Feature	a Montecarlo sty	le synthetic stock						
BX122-65V	6,5 Creedmoor	1:8"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
BX122-308V	.308 Win	1:10"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1

B-14 SERIES RIFLES
\*All B-14 Series Rifles come with the Bergara Performance Trigger

WII D- 14 OCHES UHES (	come with the bergara remornia	iiice iiiggei							
Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
HMR *Feature a Berga	ara HMR molded stock with min	i-chassis							
BE145-22250	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE145-65	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-65	6,5 Creedmoor	1:8"	66 cm (26")	116 cm (45.5")	21.5 mm (No. 6)	M18x1	4,45 Kg (9.8 lbs)	AICS COMPATIBLE	5+1
BE145-308	.308 Win	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M15x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-300	.300 Win Mag	1:10"	66 cm (26")	120 cm (47.5")	19.1 mm (No. 5.5)	M15x1	4,5 Kg (9.9 lbs)	AICS COMPATIBLE	5+1
HMR LEFT HANDED *	*Feature a Bergara HMR molded	stock with	mini-chassis						
BE145-22250Z	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE145-65Z	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-65Z	6,5 Creedmoor	1:8"	66 cm (26")	116 cm (45.5")	21.5 mm (No. 6)	M18x1	4,45 Kg (9.8 lbs)	AICS COMPATIBLE	5+1
BE145-308Z	.308 Win	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-300Z	.300 Win Mag	1:10"	66 cm (26")	120 cm (47.5")	19.1 mm (No. 5.5)	M15x1	4,5 Kg (9.9 lbs)	AICS COMPATIBLE	5+1
SPORTER *Feature a	Montecarlo style synthetic stock	(							
BE124-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,33 Kg (7.3 lbs)	DETACHABLE	3+1
BE124-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,33 Kg (7.3 lbs)	DETACHABLE	3+1
BE124-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,33 Kg (7.3 lbs)	DETACHABLE	3+1
BE125-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	3+1
BE125-270	.270 Win	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	3+1
BE125-3006	.30-06 Spring	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	3+1
BE125-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	2+1
BE125-300	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	2+1
BE125-338	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,4 Kg (7.5 lbs)	DETACHABLE	2+1
BE124F-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,37 Kg (7.4 lbs)	FLOORPLATE	4+1
BE124F-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,37 Kg (7.4 lbs)	FL00RPLATE	4+1
BE124F-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,37 Kg (7.4 lbs)	FL00RPLATE	4+1
BE125F-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,45 Kg (7.5 lbs)	FLOORPLATE	4+1
BE125F-270	.270 Win	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,45 Kg (7.5 lbs)	FL00RPLATE	4+1
BE125F-3006	.30-06 Spring	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,45 Kg (7.5 lbs)	FLOORPLATE	4+1
BE125F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,45 Kg (7.5 lbs)	FL00RPLATE	3+1
BE125F-300	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,45 Kg (7.5 lbs)	FL00RPLATE	3+1
BE125F-338	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,4 Kg (7.5 lbs)	FLOORPLATE	3+1

SPECIFICATIONS

B-14 SERIES RIFLES
\*All B-14 Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
TIMBER *Feature a wa	alnut Monte Carlo style stock								
BE114-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	DETACHABLE	3+1
BE114-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,47 Kg (7.5 lbs)	DETACHABLE	3+1
BE114-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,43 Kg (7.5 lbs)	DETACHABLE	3+1
BE115-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	3+1
BE115-270	.270 Win	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	DETACHABLE	3+1
BE115-3006	.30-06 Spring	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	3+1
BE114-3006	.30-06 Spring	1:10"	56 cm (22")	110 cm (43")	16.6 mm (No. 4)	M14x1	3,49 Kg (7.6 lbs)	DETACHABLE	3+1
BE115-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-300	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-338	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	DETACHABLE	2+1
BE115-375	.375 H&H Mag	1:12"	61 cm (24")	115 cm (45")	21.5 mm (No. 6)	M18x1	3,72 Kg (8.2 lbs)	DETACHABLE	2+1
BE114F-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	FLOORPLATE	4+1
BE114F-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	FL00RPLATE	4+1
BE114F-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,47 Kg (7.5 lbs)	FL00RPLATE	4+1
BE115F-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	4+1
BE115F-270	.270 Win	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	FLOORPLATE	4+1
BE115F-3006	.30-06 Spring	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	4+1
BE114F-3006	.30-06 Spring	1:10"	56 cm (22")	110 cm (43")	16.6 mm (No. 4)	M14x1	3,53 Kg (7.6 lbs)	FLOORPLATE	4+1
BE115F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-300	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-338	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	FLOORPLATE	3+1
BE115F-375	.375 H&H Mag	1:12"	61 cm (24")	115 cm (45")	21.5 mm (No. 6)	M18x1	3,76 Kg (7.7 lbs)	FLOORPLATE	3+1
TIMBER LEFT HANDI	D *Feature a walnut Monte Car	lo style stoo	k						
BE114-65Z	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	DETACHABLE	3+1
BE114-308Z	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,43 Kg (7.5 lbs)	DETACHABLE	3+1
BE115-7RMZ	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-300Z	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-338Z	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	DETACHABLE	2+1
BE114F-65Z	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	FLOORPLATE	4+1
BE114F-308Z	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,47 Kg (7.5 lbs)	FLOORPLATE	4+1
BE115F-7RMZ	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-300Z	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-338Z	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	FL00RPLATE	3+1
<b>HUNTER</b> *Feature an A	American Style synthetic stock								
BE134-243	.243 Win	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BE134-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BE134-308	.308 Win	1:12"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BE135-270	.270 Win	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,31 Kg (7.3 lbs)	DETACHABLE	3+1
BE135-3006	.30-06 Spring	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,31 Kg (7.3 lbs)	DETACHABLE	3+1
BE135-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,28 Kg (7.2 lbs)	DETACHABLE	2+1
BE135-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,31 Kg (7.3 lbs)	DETACHABLE	2+1
BE134F-243	.243 Win	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,26 Kg (7.2 lbs)	FL00RPLATE	4+1
BE134F-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,26 Kg (7.2 lbs)	FL00RPLATE	4+1
BE134F-308	.308 Win	1:12"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,26 Kg (7.2 lbs)	FL00RPLATE	4+1
BE135F-270	.270 Win	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FL00RPLATE	4+1
BE135F-3006	.30-06 Spring	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FL00RPLATE	4+1
BE135F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FL00RPLATE	3+1
BE135F-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FLOORPLATE	3+1

BA13 TD SERIES RIFLES
\*All BA13 TD Series Rifles have 100% ambidextrous stocks in black, strata camo and green color

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight
BA13 TD STANDAR	RD *Feature a Compact Synthetic	c design stock	and Open Sights				
BA113A-243	.243 Win	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113A-308	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113A-3006	.30-06 Spring	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113A-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 Kg (7 lbs)
BA113A-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA13 TD STANDAR	RD *Feature a Compact Synthetic	c design stock	(				
BA111-300B	.300 AAC BLACKOUT	1:8"	42 cm (16,5")	80 cm (31.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA112-300B	.300 AAC BLACKOUT	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA111-308	.308 Win	1:8"	42 cm (16,5")	80 cm (31.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA112-308	.308 Win	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA13 TD THUMBHO	<b>OLE</b> *Feature a Take Down Thun	nbhole stock					
BA123-243	.243 Win	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA121-300B	.300 AAC BLACKOUT	1:8"	42 cm (16,5")	80 cm (31.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA122-300B	.300 AAC BLACKOUT	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA121-308	.308 Win	1:8"	42 cm (16,5")	80 cm (31.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA123-308	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA122-308	.308 Win	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA123-3006	.30-06 Spring	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA123-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 Kg (7 lbs)
BA123-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA13 TD STANDAR	RD STRATA *Feature a Compact	Synthetic des	ign stock				
BA113-223ST	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113-65ST	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113-308ST	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA13 TD THUMBH	<b>OLE STRATA</b> *Feature a Take Do	own Thumbho	le stock				
BA123-223ST	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA123-65ST	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA123-308ST	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
<b>BA13 TD STANDAR</b>	RD GREEN *Feature a Compact S	Synthetic desi	gn stock				
BA213-223G	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA213-65G	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA213-308G	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA13 TD THUMBH	OLE GREEN *Feature a Take Do	wn Thumbhole	stock				
BA223-223G	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA223-65G	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA223-308G	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)



#### RIMFIRE SERIES RIFLES

	· · · · · ·								
Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
B14-R CARBON *Fe	ature an HMR stock and carbon	fiber barrel							
BR142-22LR	.22 LR	1:16"	46 cm (18")	96 cm (38")	23.6 mm (No. 7)	1/2-28 UNEF	3,6 Kg (8.1 lbs)	DETACHABLE	10
BR143-22W	.22 WMR	1:16"	51 cm (20"	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
BR143-17HMR	.17 HMR	1:9"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
BR142-22LRZ	.22 LR (Left Handed)	1:16"	46 cm (18")	96 cm (38")	23.6 mm (No. 7)	1/2-28 UNEF	3.6 Kg (8.1 lbs)	DETACHABLE	10
BR143-22WZ	.22 WMR (Left Handed)	1:16"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
BR143-17HMRZ	.17 HMR (Left Handed)	1:9"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
B14-R STEEL *Featu	ure an HMR stock								
BR132-22LR	.22 LR	1:16"	46 cm (18")	96 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	4.1 Kg (9.2 lbs)	DETACHABLE	10
BR133-22W	.22 WMR	1:16"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4.2 Kg (9.4 lbs)	DETACHABLE	10
BR133-17HMR	.17 HMR	1:9"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 Kg (9.4 lbs)	DETACHABLE	10
BR132-22LRZ	.22 LR (Left Handed)	1:16"	46 cm (18")	96 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	4.1 Kg (9.2 lbs)	DETACHABLE	10
BR133-22WZ	.22 WMR (Left Handed)	1:16"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4.2 Kg (9.4 lbs)	DETACHABLE	10
BR133-17HMRZ	.17 HMR (Left Handed)	1:9"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4.2 Kg (9.4 lbs)	DETACHABLE	10
BMR CARBON *Feat	ture a BMR stock and carbon fib	er barrel							
BR162-22LR	.22 LR	1:16"	46 cm (18")	92 cm (36")	21.5 mm (No. 6)	1/2-28 UNEF	2,3 Kg (5 lbs)	DETACHABLE	5 AND 10
BR163-22W	.22 WMR	1:16"	51 cm (20")	97 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	2,4 Kg (5.4 lbs)	DETACHABLE	5 AND 10
BR163-17HMR	.17 HMR	1:9"	51 cm (20")	97 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	2,4 Kg (5.4 lbs)	DETACHABLE	5 AND 10
BMR STEEL *Feature	e a BMR stock								
BR152-22LR	.22 LR	1:16"	46 cm (18")	92 cm (36")	16.6 mm (No. 4)	1/2-28 UNEF	2,5 Kg (5.5 lbs)	DETACHABLE	5 AND 10
BR153-22W	.22 WMR	1:16"	51 cm (20")	97 cm (38")	16.6 mm (No. 4)	1/2-28 UNEF	2,6 Kg (5.8 lbs)	DETACHABLE	5 AND 10
BR153-17HMR	.17 HMR	1:9"	51 cm (20")	97 cm (38")	16.6 mm (No. 4)	1/2-28 UNEF	2,6 Kg (5.8 lbs)	DETACHABLE	5 AND 10

#### SHOOTING BARRELED ACTION

\*Come with AICS style magazine

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity	
BARRELED ACTION Shooting										
BRA176S-6C	6 Creedmoor	1:7,5"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	10	
BRA176S-65	6,5 Creedmoor	1:8"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	10	
BRA176S-308	.308 Win	1:11"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	10	
BARRELED ACTION	Rimfire Shooting									
BRA172S-22LR	.22 LR	1:16"	51 cm (20")	74,5 cm (29.3")	23.6 mm (No. 7)	1/2-28 UNEF	3,4 Kg (7.5 lbs)	DETACHABLE	10	
BRA172S-22LRZ	.22 LR (Left Handed)	1:16"	51 cm (20")	74,5 cm (29.3")	23.6 mm (No. 7)	1/2-28 UNEF	3,4 Kg (7.5 lbs)	DETACHABLE	10	



#### WARRANTY

Bergara rifles are warranted to be free from manufacturers defects for the life of the gun. With our complete inventory of replacement parts, our experts can repair all Bergara rifles, bringing them back to life.

#### **CUSTOMER SERVICE**

If you need a spotter, feel free to call us for backup. We'll get you dialed in. Bergara has a highly trained team of gunsmiths and Customer Service Reps to serve your needs.

DIKAR S. COOP. Ugarte 26 20570 Bergara, Gipuzkoa, Spain info@bergararifles.com

www.bergara.online



